



# **ESTA Standard**

## **European Seed Treatment Assurance**

### **Quality Assurance System for Seed Treatment and Treated Seed**

Adopted by the ESTA Board/Euroseeds Board WG STAT, 24 February 2023/ 15 February 2023

**Version 2.7**

#### **Foreword**

This document has been prepared under surveillance of Euroseeds Board WG STAT. It is the standard on quality assurance for seed treatment and treated seed of Euroseeds, supported by the Euroseeds membership and the agricultural industry.

#### **Note**

To this standard several text boxes have been added that are clearly different from the text of the standard. They are all labeled “additional guidance” and serve for additional guidance and explanation.

## ESTA Standard

### Table of Contents

0 Changes to the previous version .....	2
1 Introduction.....	3
1.1 Scope of this Quality Assurance system .....	3
1.2 Main components.....	4
1.3 Convention on coding/numbering.....	4
2 Normative references.....	5
3 Terms and definitions.....	5
4 General Framework.....	5
5 Key procedures.....	6
6 Process description and risk analysis.....	7
7 Proven competence of personnel .....	7
8 Specific requirements for seed/seed treatment companies .....	8
9 Technical standards for seed treatment and treated seed .....	9
Annex 1: List of definitions and abbreviations .....	11
Annex 2: ESTA: controlled use of name and logo; governance .....	12
General .....	12
European Seed Treatment Assurance: ESTA. Name, logo and use.....	12
Ownership and copyright .....	12
Governance and use of ESTA .....	12
Annex 3: Requirements for certifying bodies .....	12
Annex 4: Use and interpretation of the standard .....	13
Annex 5: Dispute and complaint handling.....	13
Annex 6: Sanctions .....	14
Annex 7: Relationship with other standards (informative) .....	14
Annex 8: Risk analyses; major toolboxes (informative).....	15
Annex 9: Comparison table ESTA/ISO/OHSAS (informative).....	16
Annex 10: Amending the standard.....	17
Adaptations to the standard.....	17
Time frame .....	17

### 0 Changes to the previous version

The previous published version of this standard was version 2.6

In the **standard** itself the following was changed:

- 6 Process description and risk analysis: *should* was replaced by *shall*
- Annex 4: clarification has been given regarding the time when the annual verification audits can take place



## 1 Introduction

This standard on quality assurance for seed treatment and treated seed of Euroseeds, the European Seed Association, is named ESTA (see also Annex 2). It is meant to be a general basis for quality assurance of seed treatments that include plant protection products.

ESTA is a standard to support the industry. This standard provides a quality assurance system to assure that seed treatment and the resulting treated seed meet requirements defined by legislators and industry.

This quality assurance system supports sustainable food, feed and fiber production by assuring the availability of crop protection through seed treatments. Seed treatments combine precision and minimal active ingredient amount with maximum efficacy and minimal environmental impact.

The adoption of this quality assurance system is a strategic decision of an organization. ESTA has been designed to be compatible with ISO 9001 (Quality management systems - Requirements), and ISO/IEC 17065 (Conformity assessment- Requirements for bodies certifying products, processes and services).

Companies certified to the ESTA standard reliably treat seed with plant protection products, resulting in quality products (treated seed) for the ultimate user: farmer, grower, plant raiser or contractor.

It is the ambition of Euroseeds that ESTA will be the general quality assurance system that supports unrestricted flow of (treated) seed within all EU Member countries.

This standard can be used as an “umbrella” standard to which national and industry quality assurance schemes are benchmarked.

### 1.1 Scope of this Quality Assurance system

This Quality Assurance (QA) system provides a framework for good practices to prepare and apply seed treatments that include plant protection products. Certification will be granted per species and per seed treatment site.


Although certification is restricted to the seed treatment companies, this standard requires the seed companies to provide recommendations for handling and intended use of the treated seed.

In case an ESTA certified treatment site makes use of other sites for packaging or re-packaging of the treated seed, that other site must be ESTA certified as well for the same crop to maintain the status of ESTA certified treated seed.

The seed treatment companies shall handle the carry over seeds as new treated seeds.

Wherever legal requirements exist which cover or go beyond the ESTA Standard, those are controlled by authorities. These legal requirements prevail and must be met.

The scope of the ESTA certification can be visualized as follows:



This QA system addresses the entire 'chain' that starts with seed to be treated till the use of the treated seed, because each step must be properly managed to be able to ensure quality and safety of the treated seed. Safety is to be read as workers/human safety and environmental safety.

Seed companies and other seed providers carrying out seed treatments are under the scope of the certification. However, seed treating companies can also accept seed based on crop-specific quality criteria. In such cases the provider of the seed can be regarded out of scope for this QA system and the seed treatment company assumes the full responsibility that the ESTA requirements are fulfilled.

The scope explicitly excludes other seed treatments such as seed disinfection, priming, or pelleting if the pelleting process does not also apply plant protection products.

## 1.2 Main components

The Quality Assurance System consists of six main components:

1. General framework for the Quality Assurance System
2. Description of processes
3. Risk analyses as a basis for risk control
4. Key procedures
  - a. control of documents and records
  - b. control of nonconformities
  - c. corrective and preventive measures
  - d. handle/rework of non-conforming product
5. Proven competence of personnel
6. Specific requirements for the seed/seed treatment companies.

## 1.3 Convention on coding/numbering

The ESTA standard has a date and version number. The first official version, published upon acceptance by Euroseeds, was version 1.0. Minor revisions receive a number following the decimal dot (1.1, 1.2, etc.). The standard, annexes and other relevant documents are published on the Euroseeds website.



Text in this standard and associated documents preceded by “Note” is for guidance or clarification only.

## 2 Normative references

- ISO/IEC 17065:2012 (Conformity assessment- Requirements for bodies certifying products, processes and services)
- ISTA International Rules for Seed Testing (sampling only)
- Euroseeds reference method '[Assessment of free floating dust and abrasion particles of treated seeds as a parameter of the quality of treated seeds](#)'. Published at the Euroseeds website
- Euroseeds reference table '[Industry dust reference values](#)'. Published at the Euroseeds website
- COMMISSION DIRECTIVE 2010/21/EU of 12 March 2010 amending Annex I to Council Directive 91/414/EEC as regards the specific provisions relating to clothianidin, thiamethoxam, fipronil and imidacloprid; see <http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2010:065:0027:0030:EN:PDF>

See also Annex 7.

## 3 Terms and definitions

A list of definitions and abbreviations (for reference purposes) is added to this standard as Annex 1.

## 4 General Framework

To gain acceptance of ESTA, the following aspects were listed and discussed as being important:

	<i>Aspect to be addressed:</i>	<i>Conclusions:</i>
1	Independent	It was concluded that ESTA should be an industry standard owned and managed by Euroseeds
2	Compatible with existing systems	Care has been taken to ensure that ESTA is compatible with the main international standards (ISO 9001, ISO 14001 and OHSAS 18001
3	Easy to understand	The ESTA standard is rather compact (approx. 7 printed pages). (Interpretation/guidance is integrated in the standard.)
4	Limited 'extra' work for already certified companies	Especially ISO 9001 certification is rather common and ESTA has only two main components not by definition tackled in an ISO 9001 certified organization (linked to risk analysis- only for certification under ISO 9001:2008/ ISO 9001:2015- and competence of staff); the extra work will be limited in such cases.
5	Fits with National quality assurance schemes	National quality assurance schemes on seed treatments are more restricted than ESTA: they are crop-specific and focus on control of dust. Such systems could easily be brought under the “umbrella” of ESTA
6	Sufficient attention for: <ul style="list-style-type: none"> <li>i. environmental aspects</li> <li>ii. worker safety</li> <li>iii. safe food production</li> </ul>	(agreed)

ESTA is a Quality Assurance system for all professional seed treaters and the resulting treated seed. As requirements do change over time, the QA system should be flexible. Therefore, focus is on continual improvement.

The organization shall establish and continually improve a QA system that meets the requirements of this standard and requirements imposed by legislators and industry. Top management has to commit itself to implementation and continual improvement of the QA system.

A management representative shall be responsible for the activities necessary to fulfill the requirements of this standard and for reporting to top management on performance of the quality assurance system and on possible improvements.

Organizations must have a system in place for continual improvement.

This continual improvement system may have the following inputs: (i) measurements of critical process parameters (ii) periodical customer satisfaction reviews; (iii) registration, analysis and mitigation of customer complaints; (iv) registration, analysis and mitigation of internal complaints, errors and non-conformities; (v) corrective and preventive measures insofar these are not dealt with in the points i to iv, and (vi) review of the risk analysis.

A review shall be performed at least annually to evaluate functioning of the QA system. Actions to improve the system shall be formulated and carried out. This review is part of the continual improvement system. Active involvement of management is required.

Companies must have a process for waste disposal that meets legal requirements, is in line with Good Agricultural Practices (GAP), and meets expectations on sustainability / sustainable business conduct.

Documents required by this standard shall be controlled. This means that approved actual versions are accessible to users.

Companies must keep records to allow for full tracking & tracing of all incoming, stored and outgoing products.

Responsibilities in the company have to be defined.

Companies must have a process to recall nonconforming product. This process shall be described, implemented and documented.

In case of structural changes and/or modification of key elements on application machinery companies shall notify their Agent and the certifying body within four weeks' time.

#### **Additional guidance to § 4**

Two key aspects are central, although not always made explicit, for modern quality assurance systems: transparency and the promise *"say what you do and do what you say"*. The central role of continual improvement leads to an extensive set of tools for improvement which' use is required. Focus on continual improvement also explains why ESTA avoids prescribing how to set up equipment and to treat seed, how to manage waste and care for the environment, or how to assure worker safety and quality of the treated product.

One specific improvement tool implemented in France for treated maize seed is that seed lots that exceed 3 g of dust per 100 kg of treated seed, but are below 4 g, can be sold, but that an improvement program has to be initiated immediately to ascertain that the dust level decreases again to below 3 g/100 kg. Government has to be informed within 48 hours if the 3 g/100 kg level has been exceeded.

## **5 Key procedures**

As stated in § 4 (General Framework), organizations shall have a continual improvement system in place, control documents and records, and have a process to handle/rework nonconforming product. The importance of these aspects translates into the following key procedures to be in place:

- a. control of documents and records
- b. control of nonconformities
- c. corrective and preventive measures
- d. handle/rework of non-conforming product

#### **Additional guidance to § 5**

In this standard, procedures are high level documents that explain responsibilities; these are to be distinguished from work instructions or standard operating procedures.

## 6 Process description and risk analysis

To achieve reliable process control the processes and their relations shall be described.

The processes are a basis for the risk analyses. (Process) Measurements to assure process and product quality have to be defined.

Companies must maintain a risk analysis of their ESTA scope related process. Risks that would potentially lead to non-conforming product, incidents and/or environmental damage caused by the ESTA scope related process in the treatment plant shall be adequately addressed. The interfaces with other parts of the seed treatment chain must be addressed. The risk analysis shall be periodically reviewed as part of the continual improvement system; an actual or updated action plan is mandatory.

This standard does not prescribe use of a specific risk analysis tool; major tools are summarized in Annex 8.

### Additional guidance to § 6

Having a clear picture of the processes and their relations serves two purposes. Firstly, this is the starting point for the risk analysis that typically lists all steps and associated risks per step for all processes. Secondly, process measurements to assess the functioning of the QA system can be optimally defined when processes, all inputs and outputs and the risks have been defined.

Full process control is a goal of the process approach. Process control is the opposite of output control; the latter would imply testing each treated seed batch for predefined specifications. Process control provides a higher level of assurance that the output of the process meets the defined product requirements.

Examples of process measurements in the seed treatment plant could be balances of the net weight of all incoming and outgoing products (including waste), volume or weight of seed treatment slurry applied per seed batch, measurements to determine deviations in seed treatment slurry composition, temperature and humidity measurements, and so forth. Measurements are company dependent and can change over time.

## 7 Proven competence of personnel

Employees shall be properly trained to perform their tasks, recognize deviations and work safely. Training can consist of combinations of formal education (school/college), technical courses (in house or external), on the job training and refresher courses. For specific tasks legal requirements may exist and must be met (for instance for driving forklifts or handling hazardous chemicals). The organization must keep records to prove that individual employees (including temporary staff) have and maintain the required level of competence. The organization should monitor that employees timely attend refresher courses and take action to avoid that necessary diplomas or certificates expire.

To assure that individual employees do have and maintain the required level of competence it is strongly advised that relevant training and retraining is performed periodically for all personnel (including temporary staff).

All personnel, including temporary work staff, demonstrate general awareness of the identified risk factors related to general aspects of all seed treatment and seed handling operations performed at their place of work, and are aware about good practice behaviors mitigating such risks.

All personnel, including temporary work staff, demonstrate adequate knowledge of the identified risk factors related to their specific area of responsibilities and actively and consistently implement good practice behavior in their work.

## 8 Specific requirements for seed/seed treatment companies

1. Seed to be treated shall meet crop-specific criteria on moisture and cleanliness (dust levels, presence of broken/damaged seeds and other materials like chaff, other seeds, sclerotia, inert material).
2. The seed treatment process, including the recipes used to prepare the seed treatment and the equipment used, must have a proven stability/reliability.
3. Material safety data sheets (MSDSs) and further documentation relevant for correct and safe use (and disposal if relevant) of the seed treatment products must be available on-site.
4. The seed treatment process has to be monitored, for instance by visual inspection of the seed lots before and after treatment.
5. An aspiration system shall be used for the seed treatment process and following steps till packaging of the treated seed.
6. Reference samples of each treated seed lot shall be taken and safely stored. Sample sizes, storage conditions and minimum periods of storage have to be defined.
7. Based on the risk analysis samples shall be tested, at least on dust levels with the standard Heubach test, according to a defined scheme. Pelleted seeds shall be tested for dust levels at least once every two weeks, while the rest of the seeds shall be tested at least once per week. Treated seeds that exceed the industry dust reference values or any legal requirements if lower shall not be put on the market.
8. Records allowing for a plausibility check have to be kept on the used amounts of treatment materials per seed lot.
9. Measures are to be in place for waste handling and disposal. These measures shall be documented.
10. Treated seed has to be labeled according to legal labeling requirements and provisions of the registration of the plant protection product.
11. It is recommended to also label according to industry standards, see [www.euroseeds.eu/ESTA/Labelling](http://www.euroseeds.eu/ESTA/Labelling)
12. It is recommended that documentation be available that allows seed treatment companies to assess that the purchased seed treatment products meet purchase requirements.
13. Treated seed is sensitive to environmental influences. Therefore, the transport companies have to be made aware that great care must be taken to avoid any extreme handling. The treatment site has to make sure that the seeds are packed safely, that the appropriate package is used and that the transport advice is been provided to the transport company.
14. Treated seed needs care till the crop has established itself. Farmers have to be made aware of the importance of proper handling.
15. Treated seed returned from distributors or farmers cannot be re-shipped without assuring that the seed still meets requirements.

### Additional guidance to § 8

On cleanliness: all materials in the seed batch that are not pure seed can impact the quality of the seed treatment; especially small particles, chaff, soil and the like can become treated and result in coarse dust with active ingredient(s). Besides the dust issue this also has a negative impact on loading (defined as the percentage of the active ingredient(s) on the seed related to the target value).

On a defined scheme for testing samples: for instance in France for maize seed at least first five seed lots treated have to be tested and sales is to be postponed till the test results prove that the lots meet the requirements. During the treatment season at least 10% of the lots need to be tested, with a minimum of 1 test per week and five tests per treatment plant per crop per season.



Seeds not compliant with specific requirements (measured at time of bagging), such as dust levels and seed loading levels, are not to be put on the market. Such requirements are to be interpreted as meeting the most stringent requirement defined by:

- Legal requirements in the country of seed use and/or country of treatment
- Specific conditions of use/seed application in the registration of the seed treatment product
- ESTA industry reference values, as published on the ESTA web pages.

On material safety data sheets (MSDSs): to allow for prompt action if an incident would occur, the active ingredients being used must always be known/visible.

Processes for handling of treated seed are defined such as to minimize the creation of dust through abrasion, e.g., assuring methods for gentle handling and minimizing amount of internal seed movements.

Good practice must be applied in machine cleaning to avoid mixing with plant protection products not intended for the next treatment.

Processes for transport preparations to be defined such as to minimize the creation of dust through abrasion during delivery logistics, e.g., by assuring tight stretch wrapping of pallets with treated seed bags, and verification of proper stowing of delivery trucks.

Elements of the information that has to reach farmers can *a.o.* be the following. Care must be taken to avoid ingestion of treated seed by birds or farm animals. Measures must be taken to limit dust during drilling/planting. Worker safety has to be assured before, during and after drilling. Disposal of leftover seed and packing materials needs specific measures.

## 9 Technical standards for seed treatment and treated seed

Best practices shall be used to minimize dust levels of treated seed. Scientific data, taking human and environmental risks into account, are to provide a basis for determining industry reference values. These reference values are stated in the list of the normative references of the standard. Hazards linked to dust are associated with the active ingredient(s), the type of seed, the sowing window (period of the year), climatic conditions during and after sowing, and the equipment used.

### **Note:** Reference test methods

To assess dust levels of treated seed the Euroseeds method (standard protocol or work instruction) '*Assessment of free floating dust and abrasion particles of treated seeds as a parameter of the quality of treated seeds*' is the reference method.

See: [www.euroseeds.eu/ESTA/Heubach](http://www.euroseeds.eu/ESTA/Heubach) for the Euroseeds method and for ESTA industry reference values.

The accuracy, reproducibility, precision, robustness and general reliability of reference methods must be beyond doubt. Therefore, extensive validation procedures have been developed for reference methods. EN-ISO 17025 provides requirements for selection and validation of methods, equipment, calibration and reference materials.

If a reference method exists, alternative methods can be used if sufficient evidence is available to show that an alternative method yields comparable results. In case of a dispute on test results, the reference method should be used.



Use of the dust test by industry laboratories as described in the abovementioned Euroseeds reference method '*Assessment of free floating dust and abrasion particles of treated seeds as a parameter of the quality of treated seeds*' asks for monitoring of the performance of the laboratory. This shall be done either by successfully participating in corresponding seed industry driven ring tests organized by a laboratory which is accredited to ISO 17025 by its national accreditation body for the Heubach dust analysis according to the Euroseeds reference method '*Assessment of free floating dust and abrasion particles of treated seeds as a parameter of the quality of treated seeds*', or by a certification which confirms an appropriate application of the Heubach methodology delivered by an independent certifying body.

## Annex 1: List of definitions and abbreviations

(National) Agent	an organization acting as exclusive or non-exclusive commercial agent in name and on behalf of Euroseeds to implement and manage the ESTA scheme. The national Agent can only be exclusive in a defined territory for a limited period of time
CEN	European Commission for Standardization
CENELEC	European Committee for Electrotechnical Standardization
EN	European Standard: a document that has been adopted by one of the three recognized European Standardization Organizations: CEN, CENELEC or ETSI. An EN is available, in principle, in the three official languages of CEN (English, French and German)
Euroseeds	
Euroseeds Board WG STAT	Seed Treatment and Technologies working group of Euroseeds, dealing with all issues in the area of seed treatment and treated seed, related technologies and practices and the relevant regulatory issues of general importance for the seed industry. Euroseeds Board WG STAT reports to the Board of Euroseeds
ESTA	European Seed Treatment Assurance
ETSI	European Telecommunications Standards Institute
FMEA	Failure Mode and Effect Analysis. A systematic method of identifying and preventing product and process problems before they occur
HACCP	Hazard Analysis and Critical Control Points. A system for identifying specific hazards and preventive measures for their control that can be applied throughout the food chain from the primary producer to the final consumer.
Heubach	(1) manufacturer for dust test equipment: Heubach GmbH, Langelsheim, Germany; (2) standard dust test as described in the Euroseeds reference method 'Assessment of free floating dust and abrasion particles of treated seeds as a parameter of the quality of treated seeds'
IEC	International Electrotechnical Commission
ISO	International Organization for Standardization
ISTA	International Seed Testing Association
Lot (seed lot)	quantity of seed that is physically and uniquely identifiable
Must	A synonym of <i>shall</i> as defined in the public ISO list ' <i>Guidance on some of the frequently used words found in the ISO 9000 family of standards</i> ': <i>is to, is required to, it is required that, has to, only ... is permitted, it is necessary</i>
OHSAS	Occupational Health & Safety Advisory Services
Plant protection product	Plant protection product registered for use according to Council Directive 91/414/EEC
Procedure	Description of a process or activity in a logical order with for each step listed the roles/functions that are responsible, accountable, provide support, need to be consulted or informed
QA	Quality Assurance
Record	Document stating results achieved or providing evidence of activities performed
validation	Confirmation, through objective evidence, that specified requirements for a specific intended use or application have been met
Work instruction	Detailed description showing how to carry out a process or activity (also known as standard operating procedure (SOP)). (For SOP different definitions exist.)
ZHA	Zürich Hazard analysis. A method for systematically identifying and managing risks owned by the Zürich Insurance Company



## Annex 2: ESTA: controlled use of name and logo; governance

### General

ESTA certified organizations will enter into an agreement with Euroseeds that grants a non-exclusive license for use and specifies the conditions for use. The ESTA certificate shall not be issued before the signature of this license agreement.

Use of the name ESTA and the ESTA logo is controlled. Only ESTA certified organizations can use name and logo as specified:

- in their communication
- on packaged seed treated in an ESTA certified seed treatment plant if the treatment is within the scope of the ESTA certification.

### European Seed Treatment Assurance: ESTA. Name, logo and use

Also a grey-scale (monochrome) version is available.



### Ownership and copyright

The ESTA documentation, name and logo are owned by Euroseeds, a non-profit international association according to Belgian Law. Euroseeds obtained Community trademark protection for the ESTA name and logo in color and in grey-scale (monochrome).

### Governance and use of ESTA

The ESTA Board is appointed by the Board of Euroseeds and represents Euroseeds as the owner of ESTA. Its structure, membership, competences, relations with Euroseeds bodies, acceptance of agents, relations with accepted agents, use of ESTA in member states with accepted agents, financial aspects and all other relevant governance issues are in a separate document (ESTA governance), approved by the ESTA Board.

## Annex 3: Requirements for certifying bodies

The ESTA Board will grant certifying bodies (via agents) the right to audit organizations on compliance to the ESTA standard and to grant the ESTA certification.

A public register of the accepted certifying bodies will be maintained on the ESTA web site.

The certifying bodies shall be accredited to ISO/IEC 17065:2012.

The certifying bodies must have proven experience in the field of agriculture, forestry and fishing, group 01.01, 01.02, 01.61 as defined in *NACE Rev. 2 – Statistical classification of economic activities in the European Community. 2008. European Commission.*

If the accreditation of a certifying body is withdrawn the ESTA Board must promptly be informed. The right to certify organizations to the ESTA standard will be suspended till the accreditation is re-installed.



It is foreseen that the ESTA standard will be required in the scope of the ISO/IEC 17065 accreditation of the certifying body when sufficient experience with ESTA has been obtained.

Certifying bodies shall report to the ESTA Board annually (via agents) on the following:

1. Full name, address, legal structure, ESTA certification with scope and expiry dates of each ESTA certified organization
2. Annual report on audit findings; granted and rejected certificates.

Upon certification of an organization the certifying body reports (via agents) the following to the ESTA Board:

3. Full name, address, legal structure and date the certification was granted
4. Scope of the ESTA certification (species).

#### **Annex 4: Use and interpretation of the standard**

ESTA certification can only be granted upon an evaluation, as meant in ISO/EN 45011 or ISO/IEC 17065, which **-in general-** includes an on-site audit. Under extraordinary circumstances- e.g.: a pandemic crisis or any other reason due to high emergency- where a regular audit procedure cannot be implemented, the ESTA Review Committee (RC) may adopt appropriate exemptional regulations- e.g. remote auditing, an extension of the validity period of certificates etc.- to preserve the ESTA certification. Any exemptional regulation shall be published with a clear definition of affected parties, conditions, procedures and validity period. All regulations shall be reviewed by ESTA RC before an update can be issued. If exemptional regulations expire without any update, the general regulations of the Standard apply. The certificate shall be valid for three (3) years starting from the day it will be issued. After this initial evaluation at least two (2) annual verification audits are required. The first annual verification audit can be scheduled six (6) months at the earliest and 18 months at the latest after the birthday of the certificate. The second annual verification audit can be scheduled as of 90 days prior to the expiration of the certificate.

Terminology as used by ISO is followed; see especially: *Guidance on some of the frequently used words found in the ISO 9000 family of standards*<sup>1</sup>. See also Annex 1 for additional definitions and abbreviations used in this standard and the *terms and definitions* chapter in EN-ISO 9000: 2005.

A word not in the ISO list is must. Must is to be read as a synonym of shall as defined in the ISO list mentioned above: *is to, is required to, it is required that, has to, only ... is permitted, it is necessary.*

#### **Annex 5: Complaints and appeals handling**

Complaints and appeals are in first instance handled by the certifying body. According to ISO/IEC 17065, § 7.13.1 “The certification body shall have a documented process to receive, evaluate and make decisions on complaints and appeals. The certification body shall record and track complaints and appeals, as well as actions undertaken to resolve them.”

Escalation is in first instance to the national Accrediting Authority.

(National) Agents may put a system in place to handle disputes and complaints. Agents handle escalations before these are brought to the ESTA Board.

Escalation to the ESTA Board is foreseen only if at national level no satisfactory solution has been found.

---

<sup>1</sup> See: <http://isotc.iso.org/livelink/livelink/open/tc176SC2public>

## **Annex 6: Suspension/ Withdrawal of certificate**

Suspension of certificate: the certificate is suspended for a certain period of time and it may be reactivated after the corrective actions will be successfully implemented.

Withdrawal of certificate: If non-conformances are not solved in time, as agreed with the certifying body, the certificate will be withdrawn and a new audit shall take place.

The exact suspension and withdrawal conditions as well as the time slots for the closure of the corrective action requests are described in ESTA governance.

## **Annex 7: Relationship with other standards (informative)**

- **ISTA International Rules for Seed Testing**  
The International Seed Testing Association (ISTA) accredits seed test laboratories to its 'International Rules for Seed Testing', which are updated annually. The sampling module of this standard (Chapter 2 of the Rules) provides internationally recognized rules for sampling seed lots. Sampling according to the ISTA Rules ensures that all requirements are met for international movement of seed, treated or untreated. The ISTA Rules do allow for lot sampling as well as for automatic or manual sampling from a seed stream.  
Seed quality tests required by users of this standard can be performed according to the International Rules for Seed Testing in ISTA accredited laboratories, but alternative tests can be used if customers or authorities agree.
- **EN-ISO 17025: 2005. General requirements for the competence of testing and calibration laboratories.**  
Reference methods should be rigorously validated; EN-ISO 17025 provides requirements for selection and validation of methods, equipment, calibration and reference materials.
- **EN-ISO 9001:2008. Quality management systems – Requirements (updated version: EN-ISO 9001:2015).**  
Internationally the most widely adopted quality management standard is EN-ISO 9001:2008. Core elements of this standard can also be recognized in this standard, which is targeted to the requirements of the 'seed treatment chain'.
- **ISO 14001:2004. Environmental management systems – Requirements with guidance for use (updated version: ISO 14001:2015).**  
This standard specifies "requirements for an environmental management system to enable an organization to develop and implement a policy and objectives which take into account legal requirements and information about significant environmental aspects". The standard is compatible with ISO 9001:2008 and focuses on the Plan-Do-Check-Act cycle. (Establish objectives and processes/Implement/Monitor and measure/Take actions to continually improve performance of the environmental management system.)
- **OHSAS 18001:2007. Occupational health and safety management systems – requirements.**  
OHSAS 18001 has been developed to be compatible with ISO 9001 and ISO 14001 in order to facilitate the integration of occupational health and safety, quality, and environmental management systems.

### **Additional guidance to the Annex**

#### **On sampling procedures**

As incorrect sampling can lead to major inconsistencies in test results based on such samples care must be taken that samples duly represent the seed lot from which they were taken.

The sampling module of the standard of the International Seed Testing Association (ISTA) (Chapter 2 of the Rules) provides internationally recognized rules for sampling seed batches.

Sampling according to the ISTA Rules ensures that all requirements are met for international movement of seed,

treated or untreated.

In general alternative sampling procedures can be used if customers agree.

On seed testing in general

Seed quality tests required by users of this standard can be performed according to the International Rules for Seed Testing. If samples are taken by ISTA accredited samplers and analyzed in ISTA accredited laboratories the results can be reported on an ISTA Orange Certificate that acts as a passport in international movement of seed. It must be noted that within the EU the free trade regulations do guarantee that seed can pass borders. For export to countries outside the EU an ISTA Certificate (and a phytosanitary certificate) may be necessary. As dust tests are not available within the ISTA accreditation (today no ISTA Rule on testing for dust exists), such test results could, if needed on a certificate, only be reported in the field 'other determinations'.

In general alternative sampling procedures and tests can be used if customers agree.

### Annex 8: Risk analyses; major toolboxes (informative)

Risk analyses are a valuable tool for continual improvement in general and to address hazards including those linked to interfaces between the various parts of the 'seed treatment chain'.

Risk analyses have become an accepted tool in modern quality assurance schemes. Major risk analysis tools are Failure Mode and Effect Analysis (FMEA<sup>2</sup>), Hazard Analysis and Critical Control Points (HACCP<sup>3</sup>), Fine & Kinney and the Zürich Hazard Analysis (ZHA<sup>4</sup>).

Zürich defines a hazard as "a process step with a potential risk". Basically a risk can be defined as hazard times probability of occurrence (RISK = HAZARD x OCCURRENCE).

Of these four main toolboxes, FMEA is the more flexible with a limited learning curve. Both HACCP and the proprietary ZHA methodology require a significant training effort before the toolbox can be effectively applied, whereas Fine & Kinney often is preferred for safety assessments. For FMEA it is claimed that teams can be immediately productive if team members know the basics of working on a team, like consensus-building, idea generation (such as brainstorming) and maintaining project documentation.

The FMEA tool can result in tabulating the risks associated with all process steps into a table like the example below.

Process step	Requirement	potential failure mode	potential effect(s) of failure	severity	potential cause of failure	current controls, preventive	occurrence	current controls, detection	detection	RPN

The product of the three factors severity, occurrence and detection assist to prioritize the risks to be addressed first. It is called RPN, Risk Priority Number.

The scales used for the three factors are arbitrary, starting with 1 and ranking for instance to 10, or (regularly used in the horticultural field) to 4, or 5.

G.F. Kinney and A.D. Wiruth, building upon work of W. Fine, developed a risk assessment system based on the likelihood of a hazard (ranging from 'might well be expected' to 'virtually impossible'), the likelihood of people being exposed to the hazard (ranging from continuous to very rare) and the

<sup>2</sup> FMEA originated in the aerospace industry in the 1960s and was developed especially in the automotive industry as a quality improvement tool. A vast body of literature on FMEA is available. Starting point could be: 'The basics of FMEA'. 2<sup>nd</sup> Edition, 2009. R.E. McDermott *et al.* CRC Press/Taylor & Francis Group, New York.

<sup>3</sup> <http://www.fao.org/docrep/v9723t/v9723t0e.htm>






<sup>4</sup> [http://www.zurich.com/riskengineering/global/services/strategic\\_risk\\_management/zha\\_services](http://www.zurich.com/riskengineering/global/services/strategic_risk_management/zha_services)

consequences if the hazard would give rise to an unwanted event (ranging from catastrophe to noticeable)<sup>5</sup>.

A parallel with the three FMEA parameters is visible. A difference is that in the Fine & Kinney model the scales are not linear; the highest value can be a factor 100 over the lowest one. However, several scales, including scales that put a dollar value on each category, are in use.

### Annex 9: Comparison table ESTA/ISO/OHSAS (informative)

Correspondence between ESTA, ISO 9001:2008, ISO 9001:2015, ISO 14001:2004, ISO 14001:2015 and OHSAS 18001:2007

Comparison Table	ESTA	ISO 9001:2008	ISO 9001:2015	ISO 14001:2004	ISO 14001:2015	OHSAS 18001:2007
General framework						
♦ Management commitment	4	5.1	5.1	4.2	5.2	4.2, 4.4.1
♦ Management representative	4	5.5.2	5.3	4.4.1	7.1	
♦ Continual improvement	4	8.5.1	10.1, 10.3	4.2	5.2	8.4
→ process measurements	4	8.2.3, 8.2.4, 8.4, 8.5.1	9.1, 8.6, 9.1.3, 10.1, 10.3	4.5.1	9.1, 9.1.1	4.5.1
→ customer satisfaction	4	8.2.1	9.1.2			
→ customer complaints	4	8.2.1	9.1.2			
→ non-conformity follow-up	4, 5	8.3	8.7, 10.1, 10.2	4.5.3	10.2	4.5.3.2
→ corrective and preventive measures	4,5	8.5.2, 8.5.3	10.2, 6.1, 6.2	4.5.3	10.2	4.5.3.2
♦ Periodical internal review of the QA system	4	5.6	9.3	4.6	9.3	4.6
♦ Waste disposal process	4					
♦ Traceability of products	4	4.2.4	7.5, 8.5.6	4.5.4	7.5.3	
Key procedures						
♦ Control of documents and records	4, 5	4.2.3, 4.2.4	7.5, 8.5.6	4.4.5, 4.5.4	7.5.3	4.4.5, 4.5.4
♦ Control of nonconformities	4, 5	8.3	8.7, 10.1, 10.2	4.5.3	10.2	4.5.3.2
♦ Corrective and preventive measures	4, 5	8.5.2, 8.5.3	10.2, 6.1, 6.2	4.5.3	10.2	4.5.3.2
♦ handle/rework of nonconforming product	5	8.3	8.7, 10.1, 10.2	4.5.3	10.2	
Process description	6	4.1	4.4			
Risk analysis	4, 6		6.1			4.3.1
Proven competence of personnel	7	6.2.2	7.1.2, 7.2, 7.3	4.4.2	7.2, 7.3	4.4.2
Specific requirements	8	7.5.5	8.5.4			
Technical standards	9					
audits by certifying bodies	1.1, annex 3	(implicit)	(implicit)	(implicit)	(implicit)	

**Note:** on relations between the ESTA and the ISO 9001 standard

Design & development aspects (ISO 9001:2008; 7.3/ ISO 9001:2015; 8.3) are in the ESTA standard covered through the requirement that the seed treatment process, including the recipes used to prepare the seed treatment and the equipment used, must have a proven stability/reliability (§ 8.2).

<sup>5</sup> Kinney, G.F. and Wiruth, A.D. (1976). Practical Risk Analysis and Safety Management. AD/A-027189 Washington, US Dept. of Commerce National Technical Information Service. See also: Geoff Taylor, Kellie Easter and Roy Hegney (2004). Enhancing Occupational Safety and Health. Elsevier Butterworth-Heinemann, Oxford





Basically this takes development out of the ESTA standard, but requires proof that the total process is stable and reliable.

Requirements on reliable purchasing (ISO 9001:2008; 7.4/ ISO 9001:2015; 8.4, 8.4.1, 8.4.2) are covered by the ESTA standard as a recommendation (§ 8.12).

Complaint handling (ISO 9001:2008; 7.2.3/ ISO 9001:2015, 8.2.1) is not in the ESTA standard.

## **Annex 10: Amending the standard**

### ***Adaptations to the standard***

Proposals to amend the ESTA Standard and remarks on the standard or related documents can be brought forward to the ESTA manager by any stakeholder.

The ESTA manager will bring these to the attention of the ESTA Review Committee (RC).

The ESTA RC will discuss proposals and remarks and formulate proposals for modification of the standard. The ESTA RC can also propose additional guidance.

All proposals made by the ESTA RC are sent to Euroseeds Board WG-STAT; Euroseeds Board WG STAT is invited to advise the ESTA board. The ESTA board will not decide on proposals before Euroseeds Board WG STAT has had time to react.

Upon approval of a modification of the standard, the ESTA manager will assure that the reference checklist is modified, if required, so that this can be placed on the website at the moment that the new version of the standard is officially published.

### ***Time frame***

Modifications of the ESTA standard will follow an annual scheme.

Meetings of the ESTA RC (in person or in the form of teleconferences) will be aligned with Euroseeds Board WG STAT meetings so that proposals can be added to the agenda of Euroseeds Board WG STAT with limited delays.

ESTA certifying bodies, certified companies and agents will be notified of any modification or addition to the standard. The modifications will also be published on the ESTA web pages by **March 1<sup>st</sup>** at the latest.

The new version of the standard, with the agreed modifications, will come into effect at **July 1<sup>st</sup>** following the publication on the ESTA web pages.

ESTA certified companies have to comply with the new version of the standard at the first audit after a new version of the standard has come into effect.